

Your Expert Partner for Human Machine Interfaces

## Actuator

18-040.0055L







https://farnell.eao.com/p/18-040.0055L

Your product:



# 18-040.0055L Actuator

**PRODUCT RANGE** 

Product Status:	Phase-out
FRONT	
Front dimension:	14 mm x 9 mm
Front form:	Rectangular
Front bezel colour:	Black
Front bezel material:	Plastic

#### MOUNTING

Design:	Raised
Mounting type:	Panel mounting

#### **OPERATING-/INDICATION PART**


Lens colour:	Green
Lens material:	Plastic
Lens illumination:	Illuminated
Lens shape:	Flush
Lens optics:	translucent
Illumination colour:	Green


#### **ELECTRICAL CHARACTERISTICS**

Operating voltage:


### MECHANICAL CHARATERISTIC

Terminal:	Soldering terminal
Weight:	0.002 kg
AMBIENT CONDITION	
Operating temperature:	– 25 °C + 65 °C
CERTIFICATE	
REACH:	REACH compliant
RoHS:	RoHS compliant
OTHER	
Short Description:	Actuator, 14 mm x 9 mm, Flush, Illuminated, Green, Plastic, translucent, Rectangular, Black, Plastic, Soldering terminal, Green
Product attributes:	Luminosity and wave length variations caused by LED manufacturing processes may cause slight differences regarding the illumination. The customer has to decide what resistor shall be used to the LED
Wiring diagrams:	
	+





#### Mounting cut-outs:



A = Terminals (rear side) B = Indicator

#### **Dimension drawings:**

