

# Actuator

19-  
030.005

Distribution by  
Farnell



<https://farnell.eao.com/p/19-030.005>

Your product:

---



## 19-030.005 Actuator

### FRONT

<b>Front dimension:</b>	Ø 9 mm
<b>Front form:</b>	Round
<b>Front bezel colour:</b>	Black
<b>Front bezel material:</b>	Plastic

### MOUNTING

<b>Design:</b>	Raised
<b>Mounting cut-out:</b>	Ø 8 mm
<b>Mounting type:</b>	Panel mounting

### ELECTRICAL CHARACTERISTICS

**Switching rating:**

### MECHANICAL CHARACTERISTIC

<b>Terminal:</b>	Plug-in terminal, 2 x 0.5 mm
<b>Weight:</b>	0.001 kg

### AMBIENT CONDITION

**Operating temperature:** – 25 °C ... + 45 °C with filament lamp, – 25 °C ... + 65 °C with LED, mounted as a block, make sure the heat can escape freely

### CERTIFICATE

**REACH:** REACH compliant

**RoHS:**

RoHS compliant

**OTHER**

**Short Description:**

Actuator, Ø 8 mm, Ø 9 mm, Round, Black, Plastic, Plug-in terminal, 2 x 0.5 mm

**Internal size:**

Ø 7,3 mm


**Housing colour:**

Black


**Housing material:**

Plastic

**Wiring diagrams:**




**Component layouts:**



A = Terminals (rear side)

B = Indicator

**Mounting cut-outs:**



Dimension drawings:

