

# Actuator

61-3440.4/8











# 61-3440.4/8 Actuator

| M | O | u | M. | П | N | C |
|---|---|---|----|---|---|---|
|   |   |   |    |   |   |   |

Mounting type: Panel mounting

### **OPERATING-/INDICATION PART**

Lens colour: Grey

Lens material: Plastic

Lens illumination: Non illuminated

**Lens shape:** Mushroom-head

Lens optics: opaque

## **MECHANICAL CHARACTERISTICS**

Switching action: Maintained

Release type: Twist to unlock

**Tightening torque:** Max. 0.5 Nm

Weight: 0.02 kg

# **AMBIENT CONDITION**

**Operating temperature:**  $-25 \, ^{\circ}\text{C} \, ... \, + \, 55 \, ^{\circ}\text{C}$ 

#### **CERTIFICATE**

**REACH:** REACH compliant

RoHS: RoHS compliant

### **OTHER**

Short Description: Actuator, Mushroom-head, Non illuminated, Grey, Plastic, opaque, Maintained,

Twist to unlock


Housing colour: Grey

Housing material: Plastic


Marking: Arrows

Product attributes: Twist to unlock clockwise


Wiring diagrams:



Mounting cut-outs:



Dimension drawings:



A = Plug-in terminal 2.8 mm x 0.5 mm C = Screw terminal