

# Actuator

61-  
4970.10

Distribution by  
Farnell



<https://farnell.eao.com/component/61-4970.10/...>

Your product:

---



## 61-4970.10 Actuator

*Loading ...*

### FRONT

Front dimension:	Ø 25 mm
Front form:	Round
Front bezel colour:	Black
Front bezel material:	Plastic

### MOUNTING

Mounting cut-out:	Ø 22.3 mm
Mounting type:	Panel mounting

### ELECTRICAL CHARACTERISTICS

Power (W):	1
Resistance:	10 kΩ

### MECHANICAL CHARACTERISTICS

Terminal:	Flat ribbon cable
Tightening torque:	Max. 0.5 Nm
Weight:	0.019 kg

### AMBIENT CONDITION

IP front protection:	IP65
Operating temperature:	- 25 °C ... + 55 °C

## CERTIFICATE

**REACH:** REACH compliant

**RoHS:** RoHS compliant


## OTHER

**Short Description:** Actuator, Ø 22.3 mm, Ø 25 mm, Round, Black, Plastic, Flat ribbon cable, IP65

**Housing material:** Plastic


**Product attributes:** Cable length 300 mm

### Wiring diagrams:




A = blue  
B = red  
C = yellow

### Component layouts:



A = Terminals (rear side)  
B = Conductor colour of flat ribbon cable  
C = a = blue, b = red, c = yellow

### Mounting cut-outs:



**Dimension drawings:**

