



# Actuator

61-4970.13









# Your product:



# 61-4970.13 Actuator

E	D	0	N	п
г	п	v	14	

Front dimension: 24 mm x 24 mm

Front form: Square

Front bezel colour: Black

Front bezel material: Plastic

#### **MOUNTING**

**Mounting cut-out:** 21.2 mm x 21.2 mm

Mounting type: Panel mounting

### **ELECTRICAL CHARACTERISTICS**

Power (W):

**Resistance:** 10 k $\Omega$ 

# **MECHANICAL CHARACTERISTICS**

**Terminal:** Flat ribbon cable

**Tightening torque:** Max. 0.5 Nm

**Weight:** 0.023 kg

### **AMBIENT CONDITION**

IP front protection: IP65

**Operating temperature:**  $-25 \, ^{\circ}\text{C} \, ... \, + \, 55 \, ^{\circ}\text{C}$ 

#### **CERTIFICATE**

**REACH:** REACH compliant

RoHS: RoHS compliant

#### **OTHER**


**Short Description:** Actuator, 21.2 mm x 21.2 mm, 24 mm x 24 mm, Square, Black, Plastic,

Flat ribbon cable, IP65

Housing material: Plastic


**Product attributes:** Cable length 300 mm

Wiring diagrams:



A = blue B = redC = yellow


Component layouts:



A = Terminals (rear side) B = Conductor colour of flat ribbon cable

C = a = blue, b = red, c = yellow

Mounting cut-outs:



# Dimension drawings:

