

# Actuator

61-5441.4/K











## 61-5441.4/K Actuator

8.4	$\sim$	118			
M	U	Uľ	1TI	ΙN	G

Mounting type: Panel mounting

### **OPERATING-/INDICATION PART**

Lens colour: Red

Lens material: Plastic

Lens illumination: Non illuminated

**Lens shape:** Mushroom-head

Lens optics: opaque

## **MECHANICAL CHARACTERISTICS**

Switching action: Maintained

Release type: Key release to unlock

**Tightening torque:** Max. 0.5 Nm

**Weight:** 0.033 kg

## **AMBIENT CONDITION**

**Operating temperature:**  $-25 \, ^{\circ}\text{C} \, ... \, + \, 55 \, ^{\circ}\text{C}$ 

#### **CERTIFICATE**

**REACH:** REACH compliant

RoHS: RoHS compliant

### **OTHER**

Short Description: Actuator, Mushroom-head, Non illuminated, Red, Plastic, opaque, Maintained, Key

release to unlock


Housing colour: Yellow

Housing material: Plastic


Marking: Stop

**Product attributes:** Key to unlock clockwise


Wiring diagrams:



Mounting cut-outs:



Dimension drawings:



A = Plug-in terminal 2.8 mm x 0.5 mm C = Screw terminal