

Your Expert Partner for Human Machine Interfaces





https://farnell.eao.com/component/61-9643.702...

## Your product:



# 61-9643.702 Lens

Loading . . .

#### FRONT

Front form:	Round

#### **OPERATING-/INDICATION PART**

Lens colour:	Colourless
Lens material:	Plastic
Lens illumination:	Illuminated
Lens shape:	Flush
Lens optics:	transparent
Symbol:	ON/OFF
Shape of illumination:	Symbol

#### **MECHANICAL CHARACTERISTICS**

#### CERTIFICATE

REACH:	REACH compliant
RoHS:	RoHS compliant

### OTHER

Short Description:	Lens, Ø 19.7 mm, Illuminated, ON/OFF, Colourless, Flush, Plastic
Dimension:	Ø 19.7 mm
Hints:	The silvery coat is being applied on the lens (screen print) with an additional protective lacquer. Further information see Technical data

Chemical and mechanical tests:

- 1. Wipe resistance according to EN 61058-1 section 8.9 (Petrol/gasoline, distilled

- white resistance according to EN 01038-1 set water, diluted alcohol)
  Graffiti-Killer Test
  Railway cleaning agents (Walo)
  Damp/dry heat durability
  UV test according to EN 60068-2-5/56 days