

# Actuator

704.021.6

Distribution by  
Farnell



<https://farnell.eao.com/p/704.021.6>

Your product:

---



## 704.021.6 Actuator

### FRONT

**Front dimension:** Ø 29 mm

**Front form:** Round

### MOUNTING

**Design:** Raised

**Mounting type:** Panel mounting

### OPERATING-/INDICATION PART

**Lens cap colour:** Blue

**Lens cap material:** Plastic

**Lens cap optical effect:** transparent

**Marking cap colour:** Colourless

**Marking cap optics:** transparent

**Marking cap surface:** ribbed

### ELECTRICAL CHARACTERISTICS

**Standards:** The switches comply with the "Standards for low-voltage switching devices" DIN EN 60947-1

### MECHANICAL CHARACTERISTICS

**Terminal:** Screw terminal

**Weight:** 0.02 kg

## AMBIENT CONDITION


|                               |                     |
|-------------------------------|---------------------|
| <b>IP Protection:</b>         | IP65 front side     |
| <b>Operating temperature:</b> | - 40 °C ... + 55 °C |
| <b>Storage temperature:</b>   | - 40 °C ... + 85 °C |

## CERTIFICATE


|               |                 |
|---------------|-----------------|
| <b>REACH:</b> | REACH compliant |
| <b>RoHS:</b>  | RoHS compliant  |

## OTHER

|                           |  |
|---------------------------|--|
| <b>Short Description:</b> | Actuator, Ø 29 mm, Round, Screw terminal |
| <b>Housing colour:</b>    | Grey                                     |
| <b>Housing material:</b>  | Plastic                                  |
| <b>Wiring diagrams:</b>   |  |



**Mounting cut-outs:**



Dimension drawings:

